### **GIS REGISTRY INFORMATION**

SITE NAME:	Duehning Es	state Property							
BRRTS #:	03-67-40282	FID #							
			(if appropriate):						
COMMERCE #	53086-9507	-20							
(if appropriate):	0.1.1	0000							
CLOSURE DATE:	October 16,								
STREET ADDRESS: CITY:	320 N Kettle	Moraine Dr							
	Slinger	BIMATEO							
SOURCE PROPERTY (meters in WTM91 pro		DINATES	X = 65933	33		İ	<b>Y</b> = 320	014	
CONTAMINATED ME		Groundwater		TC = ::			<b>7</b> 5		
OFF-SOURCE GW CO			Yes	Soil	×		Both		
• IF YES, STREET A		ION >ES.	res				No	x	
GPS COORDINAT  (motors in WTM01 pre-		<b>X</b> =			<b>Y</b> =	1			
(meters in WTM91 pro OFF-SOURCE SOIL C		TION	Voc		N.				
>Generic or Site-Spe			Yes		No	X			
• IF YES, STREET A		J. (OL).			. <del> </del>	L			
<ul> <li>GPS COORDINAT</li> </ul>		X =			Y =	T			
(meters in WTM91 pro					-				
CONTAMINATION IN		VAY: Yes x			No	Ì			
		DOCUMEN	ITS NEEDE	D					
Closure Letter, and any cond	ditional closure	letter issued					· · · ·		Х
Copy of most recent deed, in	ncluding legal de	escription, for all affe	ected propertie	 S					X
Certified survey map or rele			<b>'</b>		locarint	ion) fo	r all affect	ad proportion	
County Parcel ID number, <i>if</i>				une regui e				· · · · · · · · · · · · · · · · · · ·	Х
raicer in Humber, II	used for county.	. Tor all affected prop	erties						Х
Location Map which outlines a	properties within o	contaminated site bound	aries on USGS to	pographic m	ap or pla	at map	in sufficient (	detail to permit th	ne <b>X</b>
parcels to be located easily (8.5x1 potable wells within 1200' of the si	te.	If groundwater standards	s are exceeded, t	the map mus	t also ind	clude tl	ne location o	f all municipal ar	nd,
Detailed Site Map(s) for all	affected propert	t <b>ies,</b> showing buildings,	roads, property	boundaries,	contami	nant s	ources, utility	y lines, monitorir	ng <b>X</b>
way in relation to the source prop	erty and in relation	s map snail also snow tr	ie location of all c	contaminated	Dublic s	treets	highway and	d railroad rights-c	ጎ†-∎
exceeding ch. NR 720 generic or s	SSRCLs.								
Tables of Latest Groundwate	er Analytical Hes	suits (no shading or i	cross-hatching	3)					
Tables of Latest Soil Analyti	cal Results (no s	shading or cross-hat	ching)						X
Isoconcentration map(s), if in and extent of groundwater contame	required for site ination defined. If n	investigation (SI) (8. ot available, include th	5x14" if paper co e latest extent o	py). The iso f contaminar	concent	ration r	map should h	nave flow direction	
GW: Table of water level ele	vations, with sa	mpling dates, and fre	ee product not	ed if prese	nt			<u> </u>	┢
GW: Latest groundwater flo is greater than 20 degrees)							variation i	1 flow directio	n
SOIL: Latest horizontal exte			ric or SSRCLs,	, with one c	ontour				X
Geologic cross-sections, if r	equired for SI. (	8.5x14' if paper copy)					-		Х
RP certified statement that le	egal descriptions	s are complete and a	ccurate						x
Copies of off-source notifica									广
Letter informing ROW owner	of residual con	tamination (if applica	able)(public, hig	hway or rai	Iroad R	OW)			X
Copy of (soil or land use) de				-		,			屵

101 West Pleasant Street, Suite 100A Milwaukee, Wisconsin 53212-3963 TDD #: (608) 264-8777

Fax #: (414) 220-5374 http://www.commerce.state.wi.us http://www.wisconsin.gov

Jim Doyle, Governor Cory L. Nettles, Secretary



October 16, 2003

Ms. Marion Duehning-Oelhafen William B. Duehning Estate 6385 Beaver Dam Rd. Allenton, WI 53002

RE: Final Closure

Commerce # 53086-9507-20 WDNR BRRTS # 03-67-402820

Duehning Estate Property, 320 N. Kettle Moraine Dr., Slinger

Dear Mrs. Duehning:

The Wisconsin Department of Commerce (Commerce) has received all items required as conditions for closure of the site referenced above. This case is now listed as "closed" on the Commerce database and will be included on the Wisconsin Department of Natural Resources (WDNR) Geographic Information System (GIS) Registry of Closed Remediation Sites to address residual soil contamination. It is in your best interest to keep all documentation related to the environmental activities that were conducted.

If residual contamination is encountered in the future, it must be managed in accordance with all applicable State and federal regulations. If it is determined that any remaining contamination poses a threat, the case may be reopened and further investigation or remediation may be required.

Thank you for your efforts to bring this case to closure. If you have any questions, please contact me in writing at the letterhead address or by telephone at (414) 220-5361.

Sincerely,

Monica L. Weis

Hydrogeologist

Site Review Section

cc: Mr. Andrew Malsom, Moraine Environmental, Inc.

Case File

101 West Pleasant Street, Suite 100A

Milwaukee, Wisconsin 53212-3963 TDD #: (608) 264-8777 Fax #: (414) 220-5374





September 26, 2003

Ms. Marion Duehning-Oelhafen William B. Duehning Estate 6385 Beaver Dam Rd. Allenton, WI 53002

RE:

**Conditional Case Closure** 

Commerce # 53086-9507-20 WDNR BRRTS # 03-67-402820 Duehning Estate Property, 320 N. Kettle Moraine Dr., Slinger

Two underground storage tanks (one 12,000-gallon diesel fuel and one 500-gallon gasoline) removed January 14, 2003 and August 1981, respectively

Dear Ms. Duehning:

The Wisconsin Department of Commerce (Commerce) has reviewed the request for case closure prepared by your consultant, Moraine Environmental, Inc., for the site referenced above. It is understood that residual soil contamination remains on-site. Commerce has determined that this site does not pose a significant threat to the environment and human health. No further investigation or remedial action is necessary.

## The following condition must be satisfied to obtain final closure:

 All groundwater monitoring wells must be properly abandoned and the appropriate documentation forwarded to Commerce at the letterhead address.

This letter serves as your written notice of "no further action". Timely filing of your final PECFA claim (if applicable) is encouraged. If your claim is not received within 120 days of the date of this letter, interest costs incurred after 60 days of the date of this letter will not be eligible for PECFA reimbursement.

Thank you for your efforts to protect and restore Wisconsin's environment. If you have any questions, please contact me in writing at the letterhead address or by telephone at (414) 220-5361.

Sincerely,

Monica L. Weis Hydrogeologist

Site Review Section

cc:

Mr. Andrew Malsom, Moraine Environmental, Inc. Case File

ERS 5524 E (R. 4/98)

Wm	Duel	:07/072	, Es	ate

DOCUMENT NO.


Jemms Dued Propint #815671

		e e v s			WARRAN	TY DEE.	1) Ottowa i sava
369273	ŘĚČ	6U1	tali 200	**	SIG SPACE CEDURAL	POR REGIO	
This Deed, made between	ANNA B. DUI	EH N I NO	<b>'</b>		~ <u>+</u> e	t 32	
1 DIS DECC, made between						ات.	17 271 173
and WILLIAM B. DUEHNI	NG and GERI	RUDE		inter			2 . 5
DUEHNING, his wife,					ા હોકિ	2.5 1	2
Witnesseth, That the said Gran	otor for a valuable co				- i	17.	
convers to Grantee the following describ	oed real estate in ME	ishir.	gton co.		A <b>nn to</b>		1 E' JYM
hat part of the S. E. ection 7: TION - PIGE, ashington County, Wisc	, Village or	C S11.	ager,	T2 <b>x</b>	Key #		
escribed as follows: ommencing at the S. S.			10 10				
n the East line of the oint of beginning of teet, thence northerly 44 - 50.30 reet (and hold 15 E 256.70 feet to the point of be	e S. E. 1/4 this descrip on the arc org M. 00° - ot, thence :	of a ption of a not 4	aid sect • Thenc curve : o" E. •	non 362 e X. 89 m the B 60.00 f	.00 feet ° 00' 15" asterly R eet), the	to the W. ~ /W of nee S	e   257.2   3TH   30°
		(File	COLER				
		46.00					
Ang Grantor warrants that the title is good, indectas goning ordinances and will warrant and defend the same. Executed at West Ber	bla in tee simple an and record	direc an ed ea	d dan ei end sements	mbresces exce and res	Triotions	2	
SIGNED AND SHALDD IN PI			150		ining		
AND THE COMMENTS OF THE PROPERTY OF THE PROPER		· · · · · ·		.,			.(SEA1,)
		[			and a company of the control of the		
a series segmentation of the second section with the		····· \					. (SEAL)
		- /		· verden to the fire you.	***************************************		.(SEAL)
Signatures of		**** ****** 1.					
Lyther ticated this							
	.,,						
		g	tle. Motober S	State Bar of W	Security of Other	Pariv	
	,				riz		
STATE OF WISCONSIN Washington	County.			_			
Personally came before me, this. the above named ANUS			day of	Jan	uary		19í.b
to me known to be the person wh	no executed the foreg	young inst	rument and &	koorsjedged ti	ć tame.		*************
THIS INSTRUMENT WAS DRAFTED BY			Œ	felle	Sam. 1	***	
Material and second of the leg of	•		77	С. J.	Schloemer		
The use of witnesses is optional.	ene en en enperimentaliste	и	Stary Public,		ington		ety. Wis.

A-9538 Names of persons signing in any rapacity should be typed or printed below their signatures.

The use of witnesses is optional.

Case No. L-98093



# EXHIBIT

That part of the Southeast Quarter of the Southeast Quarter (SE ½ SE ½) of Section Seven (7), Township Ten (10) North of Range Nineteen (19) East, Village of Slinger, Washington County, Wisconsin, described as follows, viz:

Commencing at the southeast corner of said Section 7; thence North 01 degrees 37 minutes East along the east line of the SE ½ of said section, 162.00 feet to the place of beginning of this description; thence South 89 degrees 50 minutes West, 313.50 feet; thence North 01 degree 37 minutes East, 135.00 feet; thence North 89 degrees 50 minutes East, 313.50 feet; thence South 01 degree 37 minutes West, 135.00 feet to the place of beginning, Excepting Therefrom that portion thereof lying within the right of way of State Trunk Highway No. 144.

That part of the SE ¼ of the SE ¼ of Section 7, Town 10 North, Range 19 East, Village of Slinger, Washington County, Wisconsin, bounded and described as follows:


Commencing at the SE Corner, Section 7-10-19, thence N  $00^{\circ}$  27' 15" W on the East line of the SE ½ of said section 297.00 feet to the point of beginning of this description. Thence N 89° 00' 15" W. – 262.08 feet, thence N 03° 55' E on the Easterly R/W of the Sth 144 – 15.96 feet, thence continuing northerly on the arc of a curve on said R/W (Chd brg N  $02^{\circ}$  34' E – 69.08 feet), thence S 89° 00' 15" E 257.22 feet, thence S  $00^{\circ}$  27' 15" E on said East line 85.00 feet to the point of beginning.


That part of the SE ¼ of the SE ¼ of Section 7, Town 10 North, Range 19 East, Village of Slinger, Washington County, Wisconsin, bounded and described as follow:


Commencing at the SE Corner, Section 7-10-19, thence N  $00^\circ$  27' 15" W on the East line of the SE ½ of said Section 382.00 feet to the point of beginning of this description. Thence N 89° 00' 15" W - 257.22 feet, thence northerly on the arc of a curve on the Easterly R/W of STH 144 - 60.00 feet (Chd brg N  $00^\circ$  02' 40" E - 60.00 feet), thence S  $89^\circ$  00' 15" E - 256.70 feet; thence S  $00^\circ$  27' 15" E to said East line 60.02 feet to the point of beginning.


#### FOR INFORMATIONAL PURPOSES ONLY

Tax Key No. V5-0361-00B & V5-0361-00C.









# Legal Description:


Village of Slinger, WI SE 1/4 SE 1/4 Section 7 TTO N Range 19 East Washington County, WI Site Map: Duehning Estate

Figure 1

Moraine Environmental, Inc.



234 + 2th Avenue Grafton, WI 53024-+ 924 262-377-9060 / Fax 262-377-9770



#### TABLE 1 SOIL QUALITY RESULTS - SOIL BORINGS

The Duehning Estate

320 N Kettle Moraine Drive, Slinger, WI - PROJECT #2409

	2															
Location	Date Collected	Depth (ft.)	Lead (mg/kg)	GRO (mg/kg)	Benzene	Isopropyl- benzene	Ethylbenzene	MTBE	n-Propyl- benzene	p-Isopropyl- Toluene	Naphthalene	sec-Butyl- benzene	Toluene	1,2,4-Trimethyl- Benzene	1,3,5-Trimethyl- Benzene	Total Xylenes
B-1	4/2/2003	10-12	3.4	310	1,300	1,300	13000	<250	5400	1300	6,600	730	23000	38,000	13,000	77000
B-1	4/2/2003	17-18	2.6	<2.7	<25	<25	<25	<25	<25	<25	<25	<25	39Q			77000
B-1	4/2/2003	23-25	3.0	4.3	<25	<25	<25	<25	<25	<25	28Q	<25		<25	<25	56Q
B-2	4/2/2003	16-18	3.4	150	160Q	490	3300	<100	2200	560	2800		43Q	70	<25	66Q
B-2	4/2/2003	23-24	2.6	130	280Q	570	4300	<120	2400	540		330	2800	15000	4700	18100
B-3	4/2/2003	10-12	3.4	4.6	95	<25	200	<25	79	<del></del>	<u>3200</u>	340	4900	16000	4900	23100
B-3	4/2/2003	16-18	3.2	34	120	58Q	570	<25	<del></del>	<25	33Q	<25	630	400	140	1,010
B-4	4/2/2003	9-10	2.4	<2.6	<25	<25	<25		220	58Q	530	38Q	1,200	1,400	400	2,720
B-4	4/2/2003	16-17	3.5	<2.6	<25	<25		<25	<25	<25	<25	<25	<25	<25	<25	<50
B-5	4/2/2003	10-12	2.9	<2.6	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<50
B-5	4/2/2003	20-22	17	<2.7	<25	<25	<25 <25	<25 <25	<25	<25	<25	<25	<25	<25	<25	<50
B-6	4/2/2003	8-9	3.8	<2.7	<25	<25	<25	<25	<25 <25	<25	<25	<25	<25	<25	<25	<50
MW-1	4/29/2003	28-30	2.4	<2.7	<25	NA NA	<25	<25	NA	<25	<25	<25	<25	<25	<25	<50
MW-1	4/29/2003	38-40	2.5	<2.8	<25	NA	<25	<25	NA NA	NA NA	NA NA	NA	<25	<25	<25	<50
HSB-2	4/29/2003	28-30	2.5	<2.6	<25	NA	<25	<25	NA NA	NA NA	NA NA	NA NA	<25	<25	<25	<50
HSB-2	4/29/2003	38-40	2.5	<2.7	<25	NA	<25	<25	NA.	NA NA	NA NA	NA NA	<25 <25	<25	<25	<50
HSB-3	4/29/2003	28-30	2.1	<2.7	<25	NA.	<25	<25	NA NA	NA NA	NA NA	NA NA	<25	<25 <25	<25	<50
HSB-3	4/29/2003	38-40	2.0	<2.7	<25	NA	<25	<25	NA	NA	NA NA	NA NA	<25	<25	<25 <25	<50
NR 720 Soil Standards			50	100	5.5	NSE	2,900	NSE	NSE	NSE	NSE	NSE	1,500	NSE	NSE	4,100
COMM 46 / NR 746 Table 1 Soil Standards	es expressed in		NSE	NSE	8,500	NSE	4,600	NSE	NSE	NSE	2,700	NSE	38,000	83,000	11,000	42,000

Notes: All values expressed in ug/kg (micrograms per kilogram) unless otherwise noted

Bold results indicate compound concentrations exceed NR 720 standards


Bold and Boxed results indicate compound concentrations exceed Comm 46 / NR 746 Table 1 values.


Q = value cetected between the limit of qualification (LOQ) and the limit of detection (LOD)


NA = Not Analyzed NSE - No Standard Established


mg/kg = milligrams per kilogram

<sup>\* =</sup> GRO standards for permeable soils (K <10E-6 cm/s)









June 26, 2003

Wisconsin Department of Commerce Environmental & Regulatory Services 101 Pleasant Street, Suite #100A Milwaukee WI 53212-3963

RE: Duchning Estate 320 N. Kettle Moraine Drive, Slinger WI BRRTS #03-67-402820

Project #2409

To Whom It May Concern:

I certify that, to the best of my knowledge, the legal description attached to this statement is complete, accurate, and describes the correct contaminated property site.

If you should have any questions, please do not hesitate to contact me, or my consultant, Moraine Environmental at (262) 377-9060.

Sincerely,

Marion Ruch ring Oelhafen P.R.

Wim Diehning Estate daytime phone 414 343 8603

(misty oethafen)

Duchning Estate

Evening atk, 4.30 (262 639 5 881)



# Moraine Environmental, Inc.

Environmental Management Services

September 2, 2003

Mr. Bob Fasick Bureau of Highway Operations -- Rm 501 PO BOX 7986 Madison, WI 53707-7986

Re: Notification of potentially contaminated soil within the State Highway 144 Right-of-Way immediately south of the Winter Lane and State Highway 144 intersection in the Village of Slinger, WI.

Dear Mr. Fasick,

On behalf of our client, Ms. Marion Duehning-Oelhafen, Moraine Environmental, Inc. (MEI) is giving written notification of the potential presence of residual petroleum soil contamination within the State Highway 144 right-of-way (ROW) immediately south of Winter Ln. in the Village of Slinger, WI. Contaminant concentrations and the approximate locations of potential impacts are presented on the enclosed tables and figures. The subsurface impacts are related to a leaking Underground Storage Tank (UST) system formerly located at the Duehning Estate former property, 320 N. Kettle Moraine Drive (STH 144) Slinger, WI.

The Wisconsin Department of Commerce (Commerce) is currently reviewing closure documentation for the above referenced Duchning Estate former property. This letter of notification is a condition of Commerce closure. Pursuant to current Wisconsin Department of Natural Resources regulations, MEI believes that soil petroleum impacts associated with the Duchning Estate property are no longer a threat to human health or the environment.

If you have any questions or comments, please contact us at 262.377.9060.

Sincerely,

MORAINE ENVIRONMENTAL, INC.

Andrew Malsom Project Engineer

cc: Ms. Marion Duehning-Oelhafen